N

SP1

A,C (1½ mi)

SR 401

Horseshoe Trail

Top Bldg

Fellowship Rd.

St. Matthews

A,C (3/4 mi)

SR 100

Front Rd.

Graphite Mine Rd.

Byers Rd

SR 113

Devaux

Hessner

(1¾ mi)

SP3

A,D (2¾ mi)

SP2

Flowing Springs

Miller

Flint

Kimberton Rd.

Cold Stream

Rickerning

Clover Mill

Pikeland

Yellow Springs

PENN D.O.T.
APPROVED
10/14/16
TRAFFIC UNIT 6-0

DETOUR PLAN
PA 401 AT ST MATTHEWS RD
WEST VINCENT TOWNSHIP
CHESTER COUNTY

SIGN TABULATION
FOR INFORMATION ONLY
ITEM 0901-0001 MAINTENANCE AND PROTECTION OF TRAFFIC

A	TYPE III BARRICADE ROAD CLOSED -- MILES AHEAD LOCAL TRAFFIC ONLY R11-3A 60" x 30"	~~8~~ 10
B	TYPE III BARRICADE ROAD CLOSED R11-2 48" x 30"	4
C	 M4-10R 48" x 18"	6
D	 M4-10L 48" x 18"	4
E	 M4-8A 24" x 18"	2
F	 M4-9SL 30" x 24"	2
G	 M4-9L 30" x 24"	~~9~~ 8
~~H~~	 W20-3	~~1~~

I	 M4-9SR 30" x 24"	2
J	 M4-9R 30" x 24"	11
K	 ~~M4-9S~~	14
L	 W20-2	9
M	 W20-2	2
N	 W20-2	2
P	 W20-3	~~1~~ 3
Q	 W20-3	~~2~~ 4

T	**ROAD CLOSED TO THRU TRAFFIC** **R11-4** **60" X 30"**	~~8~~ 12
U	THIS ROAD TO BE CLOSED FOR CONSTRUCTION XX-XX-XXXX W23-101	4
—	**SIGN**	
*	ST MATTHEWS ROAD 30" x 18"	50
	ROAD NAME PLAQUE REQUIRED ABOVE SIGNS E, F, G, I, J, K	
SP1		4
SP2		2
SP3		~~2~~ 4
V	NO OUTLET Orange W14-2 36"x36"	8
X	ROAD CLOSED 1500 FT W20-3	2

Y	ROAD CLOSED 1/2 MILE W20-3	4
Z	DETOUR 1500 FT W20-2	2

SP1

401

CLOSED AT
ST MATTHEWS RD
FOLLOW DETOUR

SP2

ST MATTHEWS RD
CLOSED AT

401

FOLLOW DETOUR

SP3

NO ACCESS
TO
ST MATTHEWS RD

1		3
2		11
4		3
5		~~6~~ 9
6		1

7		1
9		3
10		5
11		~~6~~ 9
12		1

SP 1

3.0" Radius, 0.8" Border, 0.8" Indent, Black on Orange
PA 401; "CLOSED" B; "AT" B; "ST" B; "MATTHEWS" B; "RD" B; "FOLLOW" B; "DETOUR" B;
Table of widths and spaces.

20.1	401 15.0	18.9

12.9	C 2.6	0.9	L 2.2	0.9	O 2.7	0.9	S 2.6	1.1	E 2.2	0.9	D 2.6	4.0	A 3.1	0.3	T 2.3	11.8	

4.3	S 2.5	0.9	T 2.3	4.0	M 2.9	0.9	A 3.2	0.3	T 2.2	0.3	T 2.3	0.9	H 2.5	1.1	E 2.3	0.6	W 3.7	0.9	S 2.5	4.0	R 2.6	1.1	D 2.5	3.2				

5.4	F 2.2	0.9	O 2.8	1.1	L 2.2	0.9	L 2.3	0.9	O 2.7	0.9	W 3.7	4.0	D 2.6	1.1	E 2.2	0.6	T 2.3	0.9	O 2.7	1.1	U 2.6	1.1	R 2.5	4.3				

SP 2



3.0" Radius, 0.8" Border, 0.8" Indent, Black on Orange
"ST" B; "MATTHEWS" B; "RD" B; "CLOSED" B; "AT" B; PA 401; "FOLLOW" B; "DETOUR" B;
Table of widths and spaces.

3.7	S 2.6	0.9	T 2.2	4.0	M 2.9	0.9	A 3.2	0.3	T 2.3	0.3	T 2.2	0.9	H 2.5	1.2	E 2.2	0.6	W 3.8	0.9	S 2.5	4.0	R 2.5	1.1	D 2.6	3.7

11.4	C 2.5	0.9	L 2.2	0.9	O 2.8	0.9	S 2.5	1.1	E 2.3	0.9	D 2.5	6.0	A 3.2	0.3	T 2.2	11.4		

19.5	401 15.0	19.5

4.8	F 2.3	0.9	O 2.7	1.1	L 2.3	0.9	L 2.2	0.9	O 2.7	0.9	W 3.8	4.0	D 2.5	1.1	E 2.3	0.6	T 2.2	0.9	O 2.8	1.1	U 2.5	1.1	R 2.6	4.8

SP 3



3.0" Radius, 0.8" Border, 0.8" Indent, Black on Orange

"NO" C; "ACCESS" C; "TO" C; "ST" C 75% spacing; "MATTHEWS" C 75% spacing; "RD" C 75% spacing;

Table of widths and spaces.

10.5	N 3.3	1.3	O 3.4	6.0	A 3.8	1.0	C 3.3	1.0	C 3.3	1.0	E 3.0	1.0	S 3.3	1.0	S 3.3	10.5

26.3	T 3.0	1.0	O 3.4	26.3

2.7	S 3.3	0.8	T 3.0	4.0	M 3.9	0.7	A 3.8	0.2	T 3.0	0.3	T 3.0	0.8	H 3.2	1.0	E 3.0	0.5	W 4.5	0.8	S 3.2	4.0	R 3.3	1.0	D 3.3	2.7